



**Hydraulic Breakers
HQ Series**

MADE IN KOREA

HerQlis



▶ AUTO LUBE SYSTEM*

This system works to optimize grease Consumption, also it reduces the down time of rock breaker as Operator doesn't have to stop the rock breaker for frequent greasing.

The auto greasing system comes with a safety guard to avoid any contact with boulders thus increasing the life of the component.



▶ DIGITAL HOUR METER*

This system gives you the accurate reading of your rock breaker working hours with the help of meter you can measure the performance of individual components life along with the per hour output of the rock breaker. This meter cannot be adjusted manually and is provided with the safety front guard so as to avoid any contact with the rock.



▶ SIDE SUPPORTS

Rock breaker is provided with high quality side supports so as to reduce the transmission of vibrations to boom and arm of the base machine excavator, thus increasing the overall life of the excavator.



▶ "ACCUMULATOR-FREE" TECHNOLOGY


Reduces maintenance and minimize operating expense of rock breaker.



HERQLIS HYDRAULIC BREAKERS - POWER WITH EXCELLENT SUPPORT

- ▶ High power to weight ratio ▶ Hardox400 for longer life
- ▶ Suitable for all demolition and breaking works

Description	Model	HQ50	HQ 70	HQ140	HQ220	HQ340	HQ450
Suitable Carrier	ton	4-7	6-9	11-16	20-26	28-35	40-45
	lbs	8,820 - 15,430	13,228 - 19,842	24,251 - 35,274	44,092 - 57,320	61,729 - 77,162	63,139 - 88,185
Tool Diameter	mm	68	75	100	140	155	160
	inch	2.7	3.0	3.9	5.5	6.1	6.3
Working Weight (Box)	kg	295	350	890	1,860	2,400	3200
	lbs	650	772	1,962	4,101	5,291	7,055
Impact Rate	bpm	500 - 900	400 - 800	350 - 700	350 - 500	300 - 450	300 - 450
Required Oil Flow	lpm	40 - 70	50 - 90	80 - 110	120 - 180	180 - 240	190 - 245
	gpm	10.5 - 18.5	13 - 24	21 - 29	32 - 48	48 - 63	50 - 60
Operating Oil Pressure	bar	110 - 140	120 - 150	150 - 170	160 - 180	160 - 180	160 - 190
	psi	1,595 - 2,031	1,740 - 2,176	2,176 - 2,466	2,321 - 2,611	2,321 - 2,611	2,321 - 2,756



Productivity Chart

Models / Suitable Carrier (Ton)



▲ QUICK COUPLER



EKDANT ENTERPRISES

Shop No. 4, Utkarsh Umang Apartment, Ajni Square,
 Wardha Road, Nagpur-440 015.(M.S.)INDIA
 Tel. : 091689 26677, 082089 15602
 Email : ekdant.ngp@gmail.com
 Web : www.herqlis.com

Authorised Dealer:

Maharashtra: Nagpur | Akola | Pune | Beed | Ahemadnagar
Madhya Pradesh: Indore | Bhopal | Jabalpur | Rewa